



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

VII. *Observations of the Aurora Borealis made in England by Andr. Celsius, F. R. S. and Secr. R. S. of Upsal in Sweden.*

SEPT. 13, 1735, in the Town of *Woodford*, six Miles to the North East of *London*, at 11 $\frac{1}{2}$ h. at Night, there appear'd a bright Band, almost parallel to the Horizon; and its Middle was judged to be under η of the Great Bear. At Times another Light shot along the Great Bear; but almost constantly cover'd the Stars γ and δ .

Octob. 4, in King-street, Bloomsbury,

	<i>h</i>	<i>'</i>	<i>"</i>	
At	9	22	0	p. m. A Ray or Stream of Light appear'd under the Polar Star perpendicular to the Horizon.
	9	24	13	That Ray disappear'd.
	9	27	6	Two perpendicular Rays shot forth five or six Degrees from the North towards the East.
	9	28	30	A whitish Ray again exactly under the Polar Star.
	9	30	0	That Ray moved Westward.
	9	31	0	'T was seen under η of the Great Bear.
	9	31	27	It entirely disappear'd.
	9	36	8	A Ray ascending perpendicularly by the Polar Star, and α and β of the Great Bear.
	9	40	0	The Ray seem'd to move gradually under ξ of the Great Bear.

No

	<i>b</i>	<i>'</i>	<i>"</i>	
At	9	44	o	No more Rays appeared. But whether there were any Remains of Light near the Horizon, or in the West, I could not see, upon account of the neighbouring Houses.

Octob. 11, in London.

	<i>b</i>	<i>'</i>	
At	10	37	p. m. There were two bright Rays under ζ and ϵ of the Great Bear.
	10	39	A Ray between ϵ of the Great Bear and the Polar Star.
	10	39 $\frac{1}{2}$	A Ray in Form of a Pyramid above η of the Great Bear.
			These Rays had not any Motion parallel to the Horizon ; but they
	10	43	entirely disappear'd.

Jan. 11, 1736 in London.

At	10.	o.	p. m. An indifferently bright Arch, pale towards the Edges, appear'd 16 Degrees high : One of the Ends of which descended Eastward under η of the Great Bear : And lucid Streaks appear'd now and then over this Arch.
	11	13	Under this Arch was another very bright Tract parallel to it, five Degrees above the Horizon ; in which Tract there were Rays, that shot from West towards the East.
	11	15	This Arch was very faint.

The

	<i>b</i>	<i>'</i>	
At	11	17	The first Arch became brighter, and the lower Arch was almost blended with the upper, and broken in the middle.
	11	20	The whole Arch was beset with faint Rays.
	11	21	One of the Rays under the Polar Star.
	11	27	No Arch, nor Rays, but bright Tracts dispersed here and there.
	11	36	The Light reached up to the Polar Star, and somewhat higher.
	11	44	A lucid Ray under the Polar Star.
	12	11	The Sky was overcast with Clouds, except one lucid Streak, which appear'd three or four Degrees to the East of the North.

February 16, in Clare-Hall, Cambridge,

At a Quarter past Eight in the Evening, the Moon shining very bright, there appear'd two perpendicular Streams between the great and little Bear

April 3, in London,

	<i>b</i>	<i>'</i>	
At	8	46	I observed a lucid Arch one Degree broad, which extended along the Northern Crown, the <i>Cingulum Boötis</i> , the <i>Coma Berenices</i> , the
			I i lesser

leſſer Lion and Cancer, as far as the ſmaller Dog.

h ' ''
At 8 49 36. This Arch quite diſappear'd : But
at the ſame time, I ſaw another broad-
er and brighter Arch under *Caffio-
pea*, ſeven or eight Degrees high.

In the Obſervations of *October* 4th, and in the
laſt, I am certain as to the Time of the Clock : So
that if it has happen'd that others have obſerved the
ſame *Phænomena*, the Longitudes of Places may
be determined by them with greater Exactneſs than
by the Satellites of *Jupiter*, which I take to be the
principal Uſe that may be made of theſe Obſervations,
eſpecially in making Maps of the Northern Coun-
tries, where theſe Lights more frequently occur.

VIII. *A Letter from Dr. Robert James,
of Lichfield, to Sir Hans Sloane,
Bart. Pr. R. S. containing ſome Expe-
riments made upon Mad Dogs with
Mercury.*

Lichfield, June 3, 1735.

S I R,

I N purſuance of your Commands, I here give you
an Account of ſome Experiments that have
been made upon *Mad Dogs* with *Mercury*, which
I apprehend I have ſome Reason to believe is the
moſt